


OCTAVA™

HD Extender

Installation Guide

Contents

Application Diagram.....	3
Installation.....	3
Description.....	4
Features.....	4
Warranty.....	5
Disclaimers.....	5
Specifications.....	6



Application Diagram

Installation:

- 1) Connect the HDMI Input cable (the one connected to your DVD or Settop Box) to the HDMI IN of the Extender.

Note. The Extender should be installed so the long HDMI cable is at the Input and the short HDMI cable is between the HDMI output of the Extender and your Display.

- 2) Connect the TV Display to the HDMI OUTPUT using the short HDMI/DVI cable.
- 3) Connect the DC power adapter.
- 4) The Blue LED should be ON.

Description:

Do you have a long HDMI or DVI cable link between the source and projector monitor that is causing your video to drop out. This compact HDMI Cable Equalizer automatically equalizes and compensates for HDMI/ DVI cables losses and extends cable reach to projectors or monitors. This HDMI / DVI Equalizer can be powered directly from the cable without an external power supply so is ideal for projection theatre systems. An external power adapter is supplied for long cable applications.

HDMI is backward compatible with DVI.

Features:

- Extends cable reach to projectors or monitors
- Extends cable reach to 100ft. Perfect for projector systems
- Compatible with 480 P, 720 I/P, 1080 I/P
- Compatible with VGA, SVGA, XGA, SXGA, UXGA
- Low power, powered directly from most HDMI sources
- Easy to use. Plug and Play.
- DVI compatible with use of adapters.
- .

Warranty

Octava warrants the equipment purchased to be free from defects in material and workmanship under normal use and service for a period of 1 year. In the event applicable law imposes any implied warranties, the implied warranty period is limited to 1 year from the date of receipt. If Octava's equipment fails because of defects (1) year from the date of receipt, Octava will at its option, A) repair or replace the equipment, or B) request return of equipment for refund of the price paid for the product provided that the equipment has not been subjected to mechanical, electrical or other abuse or modifications. Proof of sale required to claim warranty.

Disclaimers

IN NO EVENT SHALL OCTAVA'S OR ITS SUPPLIER'S LIABILITY FOR ANY CLAIM WHATSOEVER EXCEED THE COST OF THE PRODUCTS GIVING RISE TO THE CLAIM, WHETHER BASED IN CONTRACT, WARRANTY, INDEMNITY OR TORT (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE. IN NO EVENT SHALL OCTAVA INC. OR ITS SUPPLIERS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL OR OTHER INDIRECT DAMAGES (INCLUDING, WITHOUT LIMITATION, LOSS OF REVENUES, PROFITS OR OPPORTUNITIES), HOWEVER CAUSED, ON ANY THEORY OF LIABILITY, WHETHER OR NOT OCTAVA INC HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

WHILE EVERY PRECAUTION HAS BEEN TAKEN IN THE PREPARATION OF THIS MANUAL, OCTAVA ASSUMES NO RESPONSIBILITY FOR ERRORS OR OMISSIONS. IN NO EVENT WILL OCTAVA ASSUME ANY LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THE INFORMATION CONTAINED HEREIN. OCTAVA RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS, FUNCTIONS OR CIRCUITRY OF THE PRODUCT WITHOUT NOTICE.

Description	Specifications
IN/Out Connectors	19 pin HDMI female type-A
HDCP pass thru	Yes
Single Link Range	480 P, 720 I/P, 1080 I/P
Video Data Rate	6.75 Gbps
Deep Color Support	Yes
Vertical Frequency Scan Rate	50 / 60 Hz
Dimension	2.1 x 2.4 x 1.0 inch (52.5 x 61.9 x 25.1 mm)
DC adapter (included)	6 / 9VDC, 500mA



For Questions and support:

Email: info@octavainc.com

URL: www.octavainc.com

Copyright© 2008 Octava Inc. All rights reserved.
 HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LL.C
 All trademarks are the sole property of their respective companies